## Listing and Amendments to the Claims

This listing of claims will replace the claims that were published in the PCT Application:

1. (currently amended) A television signal receiver (20) having an emergency alert function, comprising:

a tuner (22) operative to tune a frequency including emergency alert signals indicating a type of emergency event; and

a processor (27)-operative to enable an alert output responsive to the emergency alert signals, wherein the alert output is provided in accordance with a user selectable alert mode corresponding to the type of emergency event.

- 2. (currently amended) The television signal receiver (20) of claim 1, further comprising an interface (50) operative to enable a user to turn the alert output on and off.
- 3. (currently amended) The television signal receiver (20) of claim 1, wherein the processor (27) is further operative to enable a plurality of alert outputs responsive to the emergency alert signals, and the plurality of alert outputs are provided in accordance with a plurality of user selectable alert modes corresponding to the type of emergency event.
- 4. (currently amended) The television signal receiver (20)-of claim 3, wherein at least one of the plurality of alert outputs is a visual output.
- 5. (currently amended) The television signal receiver (20) of claim 3, wherein at least one of the plurality of alert outputs is an aural output.
- 6. (currently amended) The television signal receiver (20) of claim 3, further comprising an interface (50) operative to enable a user to turn at least one of the plurality of alert outputs on and off.

- 7. (currently amended) The television signal receiver (20) of claim 6, wherein at least one of the plurality of alert outputs can not be completely turned off by a user.
- 8. (currently amended) A television signal receiver (20)—having an emergency alert function, comprising:

tuning means (22)—for tuning a frequency including emergency alert signals indicating a type of emergency event; and

processing means (27)—for enabling an alert output responsive to the emergency alert signals, wherein the alert output is provided in accordance with a user selectable alert mode corresponding to the type of emergency event.

- 9. (currently amended) The television signal receiver (20) of claim 8, further comprising interface means (50) for enabling a user to turn the alert output on and off.
- 10. (currently amended) The television signal receiver (20) of claim 8, wherein the processing means (27) enables a plurality of alert outputs responsive to the emergency alert signals, and the plurality of alert outputs are provided in accordance with a plurality of user selectable alert modes corresponding to the type of emergency event.
- 11. (currently amended) The television signal receiver (20)-of claim 10, wherein at least one of the plurality of alert outputs is a visual output.
- 12. (currently amended) The television signal receiver (20) of claim 10, wherein at least one of the plurality of alert outputs is an aural output.
- 13. (currently amended) The television signal receiver (20) of claim 10, further comprising interface means (50) for enabling a user to turn at least one of the plurality of alert outputs on and off.

- 14. (currently amended) The television signal receiver (20) of claim 13, wherein at least one of the plurality of alert outputs can not be completely turned off by a user.
- 15. (currently amended) A method (30)-for controlling a television signal receiver (20)-having an emergency alert function, comprising:

tuning a frequency including emergency alert signals indicating a type of emergency event (32); and

providing an alert output responsive to the emergency alert signals, wherein the alert output is provided in accordance with a user selectable alert mode corresponding to the type of emergency event (34).

- 16. (currently amended) The method (30)-of claim 15, further comprised of enabling a user to turn the alert output on and off (35).
- 17. (currently amended) The method (30) of claim 15, further comprised of providing a plurality of alert outputs responsive to the emergency alert signals, and the plurality of alert outputs are provided in accordance with a plurality of user selectable alert modes corresponding to the type of emergency event (34).
- 18. (currently amended) The method (30) of claim 17, wherein at least one of the plurality of alert outputs is a visual output.
- 19. (currently amended) The method (30) of claim 17, wherein at least one of the plurality of alert outputs is an aural output.
- 20. (currently amended) The method (30) of claim 17, further comprised of enabling a user to turn at least one of the plurality of alert outputs on and off (35).
- 21. (currently amended) The method (30) of claim 20, wherein at least one of the plurality of alert outputs can not be completely turned off by a user.

## **Amendments to the Abstract**

Please add the following Abstract to this application.

-- A television signal receiver (20)-having an emergency alert function provides an alert output in accordance with a user selectable alert mode corresponding to the type of emergency event. According to an exemplary embodiment, the television signal receiver (20)-includes a tuner (22)-operative to tune a frequency including emergency alert signals indicating a type of emergency event. A processor (27)-is operative to enable an alert output responsive to the emergency alert signals, wherein the alert output is provided in accordance with a user selectable alert mode corresponding to the type of emergency event.--